

4CH System SET 1

Contemporary System for Residential & Retail outlets



- 1 x H3504 H.264 Network DVR
- 2 x Indoor IR Camera (IRD56)
- 2 x Outdoor IR Camera (MIR91)
- 1 x 4CH Switching PSU (PS-4CH)
- 8 x BNC Connectors

RM 1,388

16CH System SET 4

Contemporary System for Office, Store, Showroom & Shop



- 1 x H3616 H.264 Network DVR
- 8 x Indoor IR Camera (IRD56)
- 4 x Outdoor IR Camera (MIR91)
- 4 x Indoor Varifocal Dome (SG93V)
- 1 x 16CH Switching PSU (PS-16CH)
- 32 x BNC Connectors

RM 5,728

8CH System SET 2

Contemporary System for Office, Residential & Retail outlets



- 1 x H3508 H.264 Network DVR
- 4 x Indoor IR Camera (IRD56)
- 4 x Outdoor IR Camera (MIR91)
- 1 x 9CH Switching PSU (PS-9CH)
- 16 x BNC Connectors

RM 2,628

16CH System SET 5

Professional System for Hotel, Showroom, Commercial building



- 1 x H6116 H.264 Network DVR
- 8 x Indoor Hi-Res IR Camera (IRD93H)
- 4 x Indoor Hi-Res Varifocal Camera (SG67HV)
- 4 x Outdoor Hi-Res IR Camera (WIR9324H)
- 1 x 16CH Switching PSU (PS-16CH)
- 32 x BNC Connectors

RM 9,388

8CH System SET 3

Professional System for Office, Store, Commercial building



- 1 x H6108 H.264 Network DVR
- 4 x Indoor Hi-Res IR Camera (IRD93H)
- 4 x Outdoor Hi-Res IR Camera (WIR9324H)
- 1 x 9CH Switching PSU (PS-9CH)
- 16 x BNC Connectors

RM 5,188

Professional System Works With:



- ✓ Korean Module, Japanese Sony Chipset & Japanese Tamron Lens
- ✓ Durable With Wide Variable Voltage Range
- ✓ Low Power Consumptions
- ✓ IR LEDs With Protections

contemporary system works with:



Optional:

HDD 500GB Hard Disk RM200, HDD 1000GB Hard Disk RM300
Surface Cabling Per Point Not Exceeding 25m RM180
Installation, Testing, Commissioning + Training RM200
Video Monitor 18.5" RM350, 21.5" RM450, 24" RM750

4CH CCTV SYSTEM SET 1

Powerfull yet economy



- 1 X M1004 Network DVR
- 4 X Dome IR Camera (M8420HL-30)
- 1 X 12V10A Centralize PSU
- 8 X BNC Conector
- 4 X Power Cable

RM 1,078

4CH CCTV SYSTEM SET 2

Beter night vision quality



- 1 X M1004 Network DVR
- 4 X Dome IR Camera (M8325SL-24)
- 1 X 12V10A Centralize PSU
- 8 X BNC Conector
- 4 X Power Cable

RM 1,228

4CH CCTV SYSTEM SET 3

More function beter quality



- 1 X M1204 Network DVR
- 4 X Dome IR Camera (M8325SL-24)
- 1 X 12V10A Centralize PSU
- 8 X BNC Conector
- 4 X Power Cable

RM 1,308

8CH CCTV SYSTEM SET 4

Best for shop and Factory



- 1 X M1208 Network DVR
- 8 X Dome IR Camera (M8325SL-24)
- 1 X 12V10A Centralize PSU
- 16X BNC Conector
- 8 X Power Cable

RM 2,308

16CH CCTV SYSTEM SET 5

HDMI Full HD



X16

HDMI
HIGH DEFINITION MULTIMEDIA INTERFACE

- 1 X M1016HDMI Network DVR
- 16X Dome IR Camera (M8325SL-24)
- 1 X 12V20A Centralize PSU
- 32X BNC Conector
- 16X Power Cable

RM 4,468

Optional:

HDD 500GB Hard Disk RM250, HDD 1000GB Hard Disk RM350
Surface Cabling Per Point Not Exceeding 25m RM180
Installation, Testing, Commissioning + Training RM200
Video Monitor 18.5" RM300, 21.5" RM450, 23" RM550

CCTV CAMERAS



Mini Dome Camera SD93

- 1/3" Sony Super HAD CCD
- Std : 3.8mm lens, optional 2.9 / 6 / 8 / 12mm
- 12VDC, 65mA Max, 0.05 Lux
- SD93: 420 TV Lines
- SD93H: 600 TV Lines
- Suitable for: Residential, Office, Retail Outlet

RM 162.00 SD93H **RM 243.00**



Varifocal Dome Camera

- 1/3" Sony Super HAD CCD
- Std : F1.2 2.8-10.5mm Varifocal AL Aspherical Lens
- optional 4-9 / 9-22mm
- 12VDC, 85mA Max, 0.05 Lux
- SG93V: 420 TV Lines + 2D-DNR
- SG67HV: 600 TV Lines + 3D-DNR
- SG67HDV: 600 TV Lines + 3D-DNR + Filter change, 0.01 Lux
- Options: DRC, HME, Privacy Mask, 3DDNR (67 series)
- Suitable for: Showroom, Bank, Hotel, Shopping Center, Commercial Building

RM 297.00 SG93V SG67HV **RM 378.00** SG67HDV **RM 445.00**



Mini Vandal-Resistance Camera EVD93

- 1/3" Sony Super HAD CCD
- Std : 3.8mm lens, optional 2.9mm
- 12VDC, 65mA Max, 0.05 Lux, Wall/Ceiling mount
- EVD93: 420 TV Lines
- EVD93H: 600 TV Lines
- Suitable for: Showroom(jewellery), ATM, Bank Counter, Lift, Bus

RM 202.00 EVD93H **RM 270.00**



NEW!

Small Vandal-Resistance Dome Camera SVD93

- 1/3" Sony Super HAD CCD
- Std : 3.8mm lens, optional 2.9 / 6 / 8 / 12mm
- 12VDC, 65mA Max, 0.05 Lux, Wall / Ceiling mount
- SVD93: 420 TV Lines
- SVD93H: 600 TV Lines
- Suitable for: ATM, Bank, Lift, Bus

RM 216.00 SVD93H **RM 283.00**



NEW!

Small Vandal-Resistance Recessed-Ceiling Camera SVR93

- 1/3" Sony Super HAD CCD
- Std : 3.8mm lens, optional 2.9 / 6 / 8 / 12mm
- 12VDC, 65mA Max, 0.05 Lux, Wall / Ceiling mount
- SVR93: 420 TV Lines
- SVR93H: 600 TV Lines
- Suitable for: ATM, Bank, Lift, Bus

RM 216.00 SVR93H **RM 283.00**



Vandal-Resistant Dome Camera

- 1/3" Sony Super HAD CCD
- Std : F1.2 2.8-10.5mm AL Varifocal Lens,
- optional 4-9 / 9-22mm
- 12VDC, 85mA Max, 0.05 Lux
- LVD93V: 420 TV Lines + 2D-DNR
- LVD67HV: 600 TV Lines + 3D-DNR + Filter change, 0.01 Lux
- Suitable for: Showroom, Bank, Hotel, Shopping Center, Airport, Carpark, ATM, Commercial & Government Building
- Options: DRC, HME, Privacy Mask, 3DDNR (67series)

RM 391.00 LVD93V LVD67HV **RM 459.00** LVD67HDV **RM 540.00**



Vandal-Resistance Outdoor Dome Camera

- 1/3" Sony Super HAD CCD
- Std : F1.2 2.8-10.5mm AL Varifocal Lens,
- optional 4-9 / 9-22mm
- 12VDC, 85mA Max, 0.05 Lux
- CWD93V: 420 TV Lines + 2D-DNR
- CWD67HV: 600 TV Lines + 3D-DNR
- CWD67HDV: 600 TV Lines + 3D-DNR + Filter change, 0.01 Lux
- Suitable for: Showroom, Hotel(main lobby, swimming pool) Airport, Bangalore, Carpark, Commercial & Government Building
- Options: DRC, HME, Privacy Mask, 3DDNR (67series)

RM 418.00 CWD93V CWD67HV **RM 486.00** CWD67HDV **RM 567.00**



Mini IR Dome Camera

- 1/3" Sony Super HAD CCD, Color Kill + 2D-DNR
- 420TVL, Std: 3.8mm Lens, optional 6/8/12mm
- 24 IR LEDs with Cds sensor, 12VDC, 230mA Max
- 0 Lux up to 15m (60o LEDs, 4/6mm) or 20m (45o LEDs, 8/12mm)
- Recommended for
- 1) indoor area 5mx5mx2.5m(H)
- 2) open area 5m
- Suitable for: store, retail outlet, residential, office

RM 162.00 IRD56



Vandal-Resistance Mini IR Dome Camera

- 1/3" Sony Super HAD CCD, Color Kill + 2D-DNR
- Std : 3.8mm lens, optional 6 / 8 / 12mm, 24 IR LEDs
- 0 Lux up to 15m (60o LEDs, 4/6mm) or 20m(45o LEDs, 8/12mm)
- 12VDC, 230mA Max, Wall / Ceiling mount
- IRD93: 420 TV Lines
- IRD93H: 600 TV Lines
- Recommended for 1) indoor area 7mx7mx2.5m(H), 2) open area 5m
- Suitable for: Store Outlet, Residential, Office

RM 229.00 IRD93 IRD93H **RM 310.00**



Mini Outdoor Camera

- 1/3" Sony Super HAD CCD, 2D-DNR
- Day & Night function by Color Kill (option), 0.05Lux
- Std : 3.6mm lens, optional 2.9 / 6 / 8 / 12mm
- 12VDC, 65mA Max, Sunshield+Wall / Ceiling Bracket Included
- Aluminum construction with Epoxy Powder Coating
- WMC93: 420 TV Lines
- WMC93H: 600 TV Lines
- Suitable for: Retail Outlet(Jewellery), Residential, Showroom, Counter

RM 162.00 WMC93 WMC93H **RM 229.00**



Weatherproof Varifocal Camera

- 1/3" Sony Super HAD CCD, 0.05 Lux
- Std : 2.8-10.5mm AL Varifocal Lens,
- optional 4-9 / 9-22mm
- 12VDC, 85mA Max, Sunshield+Wall / Ceiling Bracket Included
- Aluminum construction with Epoxy Powder Coating
- WSC93V: 420 TV Lines + 2D-DNR
- WSC67HV: 600 TV Lines + 3D-DNR
- WSC67HDV: 600 TV Lines + 3D-DNR + Filter Change, 0.01 Lux
- Suitable for: Hotel(pool), Carpark, Guard House, Showroom (car)
- Options: DRC, HME, Privacy Mask, 3DDNR (67series)

RM 405.00 WSC93V WSC67HV **RM 472.00** WSC67HDV **RM 553.00**



Mini Outdoor IR Camera

RM 175.00 MIR91

RM 256.00 WIR9324H

- 1/3" Sony Super HAD CCD, Color Kill, 2D-DNR
- Std : 4.0mm lens, optional 6 / 8 / 12mm, 24 IR LEDs
- 0 Lux up to 15m (60o LEDs, 4/6mm) or 20m (45o LEDs, 8/12mm)
- 12VDC, 230mA Max, Wall / Ceiling Bracket Included: CRB84
- Aluminum construction with Epoxy Powder Coating
- MIR91: 420 TV Lines
- WIR9324H: 600 TV Lines
- Recommended for
- 1) indoor area 7mx7mx2.5m(H), 2) open area 5m
- Suitable for: Store, Retail Outlet, Residential, Office

CCTV CAMERAS



Outdoor IR Camera

WSC93IR
RM 324.00

WSC93IR
RM 405.00

- 1/3" Sony Super HAD CCD, Color Kill, 2D-DNR
- Std : 4mm lens, optional 6 / 8 / 12mm 60 IR LEDs
- 0 Lux up to 30m (4/6mm lens, 60° LED), 50m (8/12mm, 45° LED)
- 12VDC, 400mA Max, Cable Concealed Wall/Ceiling Bracket included
- 420 TV Lines: WSC93IR
- 600 TV Lines: WSC93HIR
- Recommended for 1) indoor area 10m x 10m x 3m(H), 2) open area 10m
- Suitable for: Store, Showroom, Residential



Long Range Weatherproof IR Camera

IR9120H

- 1/3" Sony Super HAD CCD, Color Kill, Outdoor, + 3D-DNR
- Std : 6mm lens, optional 8 / 12 / 16mm F1.6 Fixed Lens
- 12pcs 11x16mm Square IR LEDs with CDS sensor, 600 TV Lines
- 0 Lux up to 40m (6/8mm lens, 60° LED), 100m (16mm, 10° LED)
- 12VDC, 850mA Max, Cable Concealed Wall/Ceiling Bracket included
- Recommended for 1) indoor area 40'x40'x15(H), 2) open area 20m
- Suitable for: Warehouse, Factory

RM 526.00



Box Camera

NEW!

- 1/3" Sony Super HAD CCD
- DC/Video Auto-Iris Lens
- XBC65: 420 TV Lines
- XBC67H: 600TV Lines + 3D-DNR
- XBC67HD: 600 Lines + 3D-DNR + Filter Change, 0.01 Lux
- Suitable for: Factory, Open Carpark, Airport, Seaport etc
- OSD functions: 3D-DNR, HME, DRC, Sense-up, Privacy Mask, Auto/Manual White Balance, Auto/Manual Shuttle, BLC, Mirror

XBC65

RM 243.00

XBC67H

RM 310.00

XBC67HD

RM 391.00



Weatherproof Varifocal IR Camera

NEW!

- 1/3" Sony Super HAD CCD
- High Resolution 600TV Lines + 3D-DNR
- F1.2 2.8-10mm Auto-Iris Varifocal IR Aspherical Lens
- 36x5mm 850nm IR LED, 0 Lux up to 30m, 36 IR LEDs
- 12VDC, 300mA Max, External Zoom/Focus Adjust, OSD Controller
- WSC67HVIR: Varifocal Weatherproof IR Camera
- IVD67H: Varifocal IR Dome
- Suitable for: Bank, Building, Factory, etc.

WSC67HVIR

RM 513.00

IVD67H

RM 513.00



Professional Integrated Camera

NEW!

- 1/3" Sony color CCD sensor
- Max 480 TVL of horizontal resolution
- 0.05 Lux @ F2.0, 0 Lux when IR on, Lens: 3.6mm F2.0
- 24 LED, effective range over 20M
- AES speed 1/50-1/100000 per sec
- Built-in AGC, ATW / Hold, BLC selectable
- AES / AGC / ATW auto, Anti-Fog design
- AL casing with Heat-Radiation design
- Signal To Noise (S/N) ratio more than 48dB
- DC 12V 100mA, 260mA when IR on

OD3024

RM 972.00



PIXIM Seawolf Professional Super Wide Dynamic Camera Series

- CBC-110H: Box Camera (Lens not included)
- DC/Video Auto-Iris Lens
- Weatherproof Varifocal Camera
- c/w F1.2 2.8-10.5mm Varifocal Aspherical Auto-Iris Lens
- Indoor Vandal-resistant Varifocal Dome
- c/w F1.2 2.8-10.5mm Varifocal Aspherical Auto-Iris Lens
- Weatherproof Wall Mount Vandal-resistant Varifocal Dome
- c/w F1.2 2.8-10.5mm Varifocal Aspherical Auto-Iris Lens

CBC-110H

RM 513.00

WSC-110HV

RM 675.00

LVD-110HV

RM 675.00

CWD-110HV

RM 675.00



Dome Camera

KPC132C

- 1/3" Sharp Hi-Res CCD sensor
- 500 TVL of horizontal resolution
- 0.6 Lux @ F2.0, Lens: 3.6mm
- 753 (H) x 582 (V) pixel
- Lens angle: 92°
- Iris mode: AES (Built-in)
- AES speed 1/60-1/100000 per sec
- AGC, ATW / Hold, BLC all auto
- Signal To Noise (S/N) ratio more than 48dB
- DC 12V 90mA

RM 97.00



A1 Chipset Camera Series

- 1/3" A1 Chipset Color Dome
- 12VDC, 90mA Max
- 420 TV Lines, 0.5 Lux, 3.8mm Lens
- 1/3" A1 Chipset IR Dome / Weatherproof Camera
- 420TV Lines, 24 IR LEDs
- 0Lux up to 8m (60°LED, 4/6mm) or 12m (45° Led, 8/12mm)
- MIR28 Include Wall/Ceiling mount bracket: CRB84
- 12VDC, 230mA Max
- Recommended for 1) indoor area 5mx5mx2.5m(H) 2) open area 5m

920

RM 94.00

IRD28

RM 114.00

MIR28

RM 128.00



Dome Camera

KPC132D

- 1/3" Sharp CCD sensor
- 0.3 Lux @ F2.0 - 512 (H) x 582 (V) pixel
- Lens angle: 92°
- Iris mode: AES (Built-in)
- Lens: 3.6mm
- AGC, ATW / Hold, BLC all auto
- Signal To Noise (S/N) ratio more than 48dB
- AES speed 1/60-1/100000 per sec
- DC 12V 90mA

RM 121.00



Outdoor IR Cameras

KPC136DT

- 1/3" Sharp color CCD sensor
- 512(H) x 582(V) PAL/512(H) x 492(V) NTSC
- 480TVL Resolution
- 0.05 Lux @ F2.0, 0 Lux when IR on, effective 15M
- S/N Ratio More than 48dB (AGC OFF)
- Electronic Shutter: 1/60(1/50) to 100,000 sec
- Lens: f3.6mm F2.0, lens angle 92.6°
- Iris Mode: AES, Grain Control: Auto
- White Balance: ATW
- Power: DC12V, Current: 70mA, 270mA IR On
- Dimension: 116 x 60 x 80mm
- IP67 Rating + X Cable Management

RM 391.00



Smoke Detector Camera

- 1/3" Sony Super HAD CCD
- 420 TV Lines, 0.5 Lux, 3.6mm Lens
- 1/3" Sony Super HAD CCD
- 560 TV Lines, 0.05 Lux, 3.6mm Lens

SDC93

RM 216.00

SDC93H

RM 283.00



PIR Camera

- 1/3" Sony color CCD sensor
- Max 480 TVL of horizontal resolution
- 0.05 Lux @ F2.0, 0 Lux when IR on
- Lens: 3.6mm F2.0
- AES speed 1/50-1/100000 per sec
- Built-in AGC, ATW / Hold, BLC selectable
- AES / AGC / ATW auto
- PVC case, indoor use only, Mic optional
- Signal To Noise (S/N) ratio more than 48dB
- DC 12V 100mA

PIR100

RM 256.00

CCTV CAMERAS



Color Pinhole Camera

- 1/3" Color Pinhole Camera
- Sony CCD, 420 TV Lines, 0.5 Lux, 3.7mm Pinhole Lens, 34x34mm, 12
- Wall / Ceiling mount bracket included

MCC-850P1
RM 229.00



Outdoor Housing with sunshield (medium)

- ext. dim: 118(W) x 107(H) x 410(L)
- int. dim: 75(W) x 70(H) x 310(L),
- weight 1.3kg

CH-912M
RM 85.00



Outdoor Metal Camera Mounting Bracket

- Length: 110mm
- Load: 1kg

CRB-26
RM 25.00



Outdoor Metal Camera Mounting Bracket

- Length: 160mm
- Load: 1kg

CRB-160
RM 25.00



Indoor Plastic Bracket

- Length: 129mm
- Load: 0.5kg

CRB-100
RM 15.00



Housing Bracket-Semi Outdoor

- Length: 290mm
- Load: 10kg

CRB-200
RM 40.00



Housing Bracket-Outdoor

- Length: 205mm
- Load: 15kg

CRB-300
RM 50.00



4 Channel H.264 Pentaplex DVR DVR-H3504

- H3504: 4ch 100fps display / 100fps CIF recording : 4ch playback
- H3508: 8ch 200fps display / 200fps CIF recording : 8ch playback
- 1 SATA HDD slot (up to 2TB), 4ch audio

RM 432.00 **DVR-H3508**
RM 742.00



16 Channel H.264 Pentaplex DVR DVR-H3616

- 400fps display / 400fps CIF Recording : 16ch playback
- 2 SATA HDD slot (up to 2TB each)
- 4ch audio

RM 1485.00



16 Channel H.264 Pentaplex DVR DVR-H3716

- 400fps display / 400fps CIF Recording: 16ch playback
- 8 SATA HDD slot (2TB each)
- 16ch loop-out, 16ch audio

RM 2430.00

DVR-H3732

- 800fps display / 800fps CIF Recording: 16ch playback
- 8 SATA HDD slot (2TB each)
- Full HD (HDMI) output
- 16ch audio

RM 4185.00

DVR-H3816

- 400fps display / 400fps D1 Recording: 16ch playback
- 8 SATA HDD slot (2TB each)
- Full HD (HDMI) output
- 16ch loop-out, 16ch audio

RM 4185.00



4 Channel H.264 Pentaplex DVR

- H3504: 4ch 100fps display / 100fps CIF recording : 4ch playback
- H3508: 8ch 200fps display / 200fps CIF recording : 8ch playback
- 1 SATA HDD slot (up to 2TB), 4ch audio

HA6104
RM 945.00

H6116L
RM 2430.00

H6108
RM 2025.00

H6116
RM 2970.00



16 Channel Professional H.264 Pentaplex DVR H6216

- 400fps display / 400fps Recording, 16ch audio
- 16 Looping output, 4 spot output,
- 16 sensor in, 16 alarm out
- 3+1 sata HDD slot(2TB each) VGA & Composite Monitor2
- RS232 POS / access control Integration, RS485 PTZ control
- Remote control, USB x4, 1 audio out

RM 3645.00



Card Access System

STAND-ALONE
PROXIMITY KEYPAD SYSTEM

Q2000-C

- 200 Users + 2 System Codes
- Available in Pin & Proximity
- Release to Exit Function
- Tamper Detection Function
- Built-in Door Bell Function

Package Includes:
Proximity Keypad Unit,
Electro Magnetic Lock,
10 Clam Shell Card

RM 888.00



EM lock 600lbs

- Max load: 600lbs
- Usage: Indoor
- Dimension: 250 x 48 x 24mm
- Power: DC12V, 1A

RM 250.00



L Bracket

RM 60.00



Push Button

RM 25.00



AC 24V Adapter

1A Adapter

- 12VDC / 1A Conventional Adapter

RM 25.00



4 Channels Power Supply Unit PS-4CH

- 180~260VAC input, 11~13VDC output, 3A, individual ch fuse
- Dim: 165(H) x 165(W) x 45mm(D), 0.7kg

RM 114.00

- 180~260VAC input, 11~13VDC output, 5A, individual ch fuse
- Dim: 170(H) x 180(W) x 45mm(D), 0.9kg

PS-9CH
RM 182.00

- 180~260VAC input, 11~13VDC output, 3A, individual ch fuse
- Dim: 165(H) x 165(W) x 45mm(D), 0.7kg

PS-16CH
RM 297.00



Safety & Security Reserve Power Supply

PS12-3A4W

- 4ch Individual 13.5VDC output with fuse protection
- 3A switching power supply, battery: 7.2AH x1 (option)
- Dim: 200 x 165 x 75mm, 1.1kg

RM 135.00

PS12-5A8W

- 8ch Individual 13.5VDC output with fuse protection
- 5A switching power supply, battery: 7.2AH x1(option)
- Dim: 265 x 75mm, 1.5kg

RM 189.00

BAT-7AH
• 7ah battery

RM 45.00